

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

0502-CPR-10003

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Oriented Strand Board for use in construction

Oriented Strand Board-Sterling OSB/3 A multi-layered board mainly made from strands of wood together with a binder

OSB characterised as

Classification	Formaldehyde emission	Thickness range
EN 300 – OSB/3	E1	6 mm - 40 mm

- Wood species: Scots pine, Lodgepole pine, Corsican pine, Douglas fir, Spruce, Larch, Birch

- Reaction to fire, class according to EN 13501-1:

	Min. Density Kg/m3	Min. Thickness mm	Class excl. Flooring	Class Flooring
OSB	> 550	9	D-s2, d0	Dfl-s1
OSB	> 600	<9	E	na

Intended use:

For structural elements in internal or external applications in construction

produced by or for

West Fraser Europe Limited

and produced in the manufacturing plant(s)

**Morayhill, Dalcross
IV2 7JQ INVERNESS
SCOTLAND**

Tel. +44 1463 79 24 24

Fax +44 1463 79 17 64

E-mail: steve.mctaggart@westfraser.com

Website <http://www.uk.westfraser.com>

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard **EN 13986:2004+A1:2015**

under system 2+ are applied and that **he factory production control is assessed to be in conformity with the applicable requirements**

This certificate was first issued on **1 January 2004** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by SKH.

On behalf of SKH:

drs. H.J.O. van Doorn

Date: **3 July 2023**

Director

Supersedes version: **23 April 2020**

The validity of the certificate may be confirmed at the SKH-website: www.skh.nl

Reproduction of the complete certificate is allowed

The certificate and all copies shall be returned to SKH immediately on request