



KOMO[®] quality declaration

Installed in a building

SKH

Nieuwe Kanaal 9F, 6709 PA Wageningen, the Netherlands
Postbus 159, 6700 AD Wageningen, the Netherlands
Telephone: +31 (0) 317 45 34 25
E-mail: mail@skh.nl
Website: http://www.skh.nl

OSB STANDARD AND TYPE ZERO STERLING OSB-CONTI FOR USE IN CONSTRUCTION (STRUCTURAL AND NON-STRUCTURAL) AND OTHER APPLICATIONS

Number: 32842/23-KK
Issued: 03-07-2023
Supersedes: 32842/20-KK

Producer

West Fraser Europe N.V.
Eikelaarstraat 33
B-3600 GENK
BELGIUM
Tel. + 32 89 500 300
Fax + 32 89 35 95 38
E-mail: genk.infobe@westfraser.com
Website: http://www.westfraser.com

Declaration of SKH

This quality declaration for product certification has been issued on the basis of AD 1106 'OSB Oriented Strand Board' dd. 01-05-2005 including amendment sheet dd. 09-09-2016, in accordance with the SKH Regulations for Certification.

The quality system and product characteristics associated with the OSB for use in construction (structural and non-structural) and other applications are checked periodically.

Based on this, SKH declares that:

- there is legitimate confidence that the OSB produced by the producer upon delivery meets:
 - the technical specification established in this quality declaration;
 - the product requirements stimulated in the AD.

Provided that the OSB features the KOMO[®] mark in a manner as indicated in this quality declaration.

The essential characteristics, as stipulated in the applicable European standard, form no part of this quality declaration.

For SKH

drs. H.J.O. van Doorn, director

This quality declaration is also included in the overview on the website of the KOMO foundation: <http://www.komo.nl>.

Users of this quality declaration are advised to verify whether this certificate is still valid; consult the SKH-website: <http://www.skh.nl>.

This quality declaration consists of 3 pages.

Consult the Dutch version in case of doubt.

The following has been assessed:

- quality system
- product

Periodic check

OSB STANDARD AND TYPE ZERO STERLING OSB-CONTI FOR USE IN CONSTRUCTION (STRUCTURAL AND NON-STRUCTURAL) AND OTHER APPLICATIONS

1 TECHNICAL SPECIFICATION

1.1 Subject

This quality declaration concerns the product certification of OSB for use in construction (structural and non-structural) and other applications.

1.2 Marking

Each sheet of OSB shall be marked with the KOMO[®]-mark

The execution of this mark is as follows:

- word mark KOMO[®] or logo;
- quality declaration number **32842**;
- nominal thickness in mm;
- nominal density in kg/m³.



Location of the mark: clearly visible on each sheet of OSB supplied.

1.3 PRODUCT SPECIFICATION

The product specification contains at least the thickness and the type indication of the surface finish.

Table 1 Description of Sterling OSB-Conti 2

Thickness in mm	Density in kg/m ³	Degree of blue discoloration
8-25	590-610	None

*) Exclusively required for structural use

Table 2 Description of Sterling OSB-Conti 3

Thickness in mm	Density in kg/m ³	Degree of blue discoloration
8-25	590-610	None

*) Exclusively required for structural use

Table 3 Description of Sterling OSB-Conti 4

Thickness in mm	Density in kg/m ³	Degree of blue discoloration
8-25	630	None

*) Exclusively required for structural use

2 PRODUCT PROPERTIES

2.1 Product properties

The OSB meets the product requirements stipulated in AD 1106 'OSB Oriented Strand Board'.

2.2 Properties in the application

For the performance of building elements assembled from OSB, reference is made to the attest, number **32842**.

OSB STANDARD AND TYPE ZERO STERLING OSB-CONTI FOR USE IN CONSTRUCTION (STRUCTURAL AND NON-STRUCTURAL) AND OTHER APPLICATIONS

3 SUGGESTIONS FOR THE USER

3.1 General

- in the context of this quality declaration, no check takes place on the correctness of the performance of the essential properties;
- the statements in this quality declaration may not be used as replacement for the CE marking and/or the associated mandatory Performance Declaration.

3.2 On delivery of the OSB inspect whether:

- the products comply with the contract of sale;
- the mark and the manner of marking is correct;
- the products do not show any visible defects due to transport or similar causes.

If the products are rejected on the basis of the above, contact shall be made with:
West Fraser Europe N.V. and if desirable: The certification-body SKH.

3.3 Quality declaration

It is the duty of the producer to make sure that the buyer receives a copy of the complete quality declaration.

3.4 Application and use

The OSB is suitable for use in construction (structural and non-structural) and other applications.

3.5 Period of validity

Consult the SKH-website: <http://www.skh.nl> to verify whether the quality declaration is still valid.